



# **ALPHA X** SERIES

#### The World's Finest CNC Combination Lathes

Constantly developed since its first introduction in 1996, the Alpha X Series offers the widest variety of control levels from manual through to full ISO on one machine. Tailored to optimise the skills of the machine operator, the Alpha X Series offers a large machine envelope for the efficient production of a wide variety of components in small to medium size batches. The new generation Fanuc 0i TF controls with colour touch screen and bespoke software systems gives you full CNC capability.

Now with additional 3-Axis capability for milling, drilling and tapping at the machine.

## The Ultimate Turning Machine

- Superb cutting performance
- · High spindle speeds with wider speed ranges
- Fast rapid traverse rates
- Excellent spindle torque at low speeds
- Latest Fanuc Beta i Series spindle and Beta is axis motors
- Top rated GAMET ABEC9 high-precision bearings
- · Independent, sliding operator's console

- New state-of-the-art Fanuc controls with conversational programming software
- Fast, easy set up quickest of any lathe on the market
- Automatic slideway and ballscrew lubrication system
- Extended range with up to 6m between centres\*
- AlphaLink Windows CAD/CAM offline programming CD and communications cable
- C-Axis Capability

## **High Precision Turning Applications**

The Alpha X Series from Colchester Machine Tool Solutions offers a wide choice of advanced technology CNC Combination Lathes to suit all types of high-precision turning applications, including secondary operations such as milling, drilling and tapping.

All Alpha X Series lathes are perfectly suited to producing detailed and intricate one-offs to the highest standard of finish and accuracy. With their advanced Fanuc control and software systems, they are ideal for turning small-to-medium sized batches with fast, high quality repeatability, excellent accuracy and surface finish and, most importantly of all, lower component production costs.

Alpha quality, plus a wide range of training options, has made Alpha lathes the favourite choice for industry, colleges and training centres around the world. Ideal training features include compatibility with industry standard ISO programs and Colchester's AlphaLink software which enables multi-desk training to be given.

## **Alpha Features**

### **Machine Bed**

Colchester Machine Tool Solutions' cutting-edge lathe design and construction quality begins with the machine bed. Alpha beds use high performance cast iron, with a unique 'Warren' type construction for maximum strength and optimum swarf clearance.

In addition, all Alpha lathe beds are mounted on cast-iron plinths to neutralise stress in the machine bed and slideways are hardened and specially ground to ensure high-precision, parallel operation of the lathe at all times.

#### **Operators Console**

The operator's console is located, for optimum operator convenience and efficiency, directly in line-of-sight with the cutting tool. The hand wheels are installed at the ideal ergonomic height for ease of use and have the Alpha's popular "one-click-one-micron" rotational feel sensitivity.

The complete operator's control panel moves on its own independent carriage which allows it to be moved quickly and effortlessly aside during loading and setting up.



#### **Drive Train**

Into the design and development of all Alpha lathes goes the technical expertise of specialists from Colchester Machine Tool Solutions' partner companies, Gamet Bearings and Pratt Burnerd chucking systems. Their combined research programs ensure that all new Alpha XS lathes feature the most advanced developments in spindle bearing technology and chuck design. This provides the highest possible spindle speeds and optimum chuck performance for high accuracy turning with maximum load carrying capacity.

#### **Headstock**

Crucial to turning precision and quality is the design and capability of the headstock. These lathes have top rated Fanuc spindle motors for extra power and more torque in all speed ranges. This means that 'bottom end' torque has been increased by over 75% giving excellent, extremely accurate metal-cutting performance at lower speeds.

All Alpha XS lathes are equipped with auto gearbox change - maximising efficiency and productivity.

## Alpha XS and XC Range - Fanuc Oi TF Control

All Alpha XS and XC lathes are fitted with a customised Fanuc control that gives you the option of manual or automatic operation via a simple key switch. In manual mode, the control employs the latest upgraded version of Colchester Machine Tool Solutions' own "Alpha System" which is acclaimed by thousands of Alpha users to be the simplest and most shop floor friendly teach lathe control in the world.

In automatic mode, the full strength of Fanuc's latest technology is brought into play with the Manual Guide i programming system.

This conversational system has been completely revamped from previous generations to become an outstandingly powerful and comprehensive conversational programming system.

The combination of these two systems on one machine means that the Alpha XS is the most versatile and capable lathe ever produced.

It will do virtually anything you ask of it!



## Alpha XS Range - 4 Ways of Working



**Alpha System** 



Manual Guide i



Alpha Link



CNC



## The Alpha System

Unique control software developed by our engineers to enable you to double, triple or even quadruple your productivity compared with other turning methods. The reason our Alpha System is so simple, practical and shop floor friendly is that our engineers are lathe specialists.

Alpha System uses easily recognisable screen graphics along with simple question and answer prompts to guide you. It is also the reason that the Alpha System uses a touch screen, so you can work directly on screen rather than hunt for the right button to press.

#### **Manual Turning**

Turn the key and you are turning manually. It's as simple as that! The manual screen display shows X and Z positions just like a DRO plus spindle speed, tool number and feed rate.

Even if you haven't used a lathe since your schooldays you could walk up to an Alpha XS now and cut metal.



#### **Semi-Automatic Turning**

With the Colchester Alpha System, a wealth of semi automatic turning operations can be performed. These include parallel turning to stop positions, chamfers and radii, tapers, threads, grooves, box cycles and even contour shapes. These can be linked consecutively to produce even the most complex of components quickly and efficiently.

What's more, the easy to understand shop floor language coupled with touch screen simplicity means that a turner can learn to machine parts quickly.

Most turners will learn to use the Alpha System in less than half a day!

One of the beauties of the Alpha System is that you are always in control of the machine and you can manually overide machining at any time to gain confidence or to hit the sweet spot for optimum performance.

#### **Tool Setting**

On many lathes tool setting can be a difficult and tedious process. With the Alpha things are different and there is no lathe control on earth that has a simpler tool setting procedure. Just follow the instructions on three screens and the job is done, with the machine automatically calculating offsets and workshifts for you. (These offsets will carry over to the Manual Guide i side).

## Manual Guide i for Alpha XS and XC


#### **Automatic Turning**

Manual Guide *i* is the latest and most powerful conversational programming system from Fanuc. It offers the most comprehensive and feature laden aid that any lathe programmer could want and becomes available on the Alpha XS when the keyswitch on the control panel is turned to the automatic position.

#### **Simulation and Animation**

Manual Guide i has a more powerful graphics package than many commercial CAD/CAM systems. After a programme has been created, a simulated component can be viewed in any direction, or as a 3D model that can be cut or sectioned or magnified to see detail.

This simulated component can then be animated to show the cutting process, the toolpath, metal removal and the finished component to ensure that what you get is what



#### **Customised Pages**

Despite the enormous strength of the Manual Guide i system, our engineers have been able to bring their turning experience into play to develop customised cycles especially for the needs of a manual/CNC type of lathe. These Colchester unique developed cycles will save you a considerable amount of time and button pushing.

This is the most user friendly and cost effective entry level combination lathe control in the world! The absolute minimum of training is needed to get these machines cutting metal and making you money.

### **CNC Turning**

The real strength of Manual Guide i is that it is effectively a CNC Graphical user interface. All the time you are working in Manual Guide i, the 0i TF is creating a CNC programme in the background. This means that conversion from conversational mode to CNC mode is instant. It also means that you can work in either CNC or conversational mode or even both at the same time. Furthermore it means that industry standard CNC programmes can be loaded into and out of the control at any time.

The Alpha XS and XC are powerful conversational lathes that can also run CNC programmes developed elsewhere or to create CNC programmes for use on other machines.



## **New additions to the Alpha XS Range**

Newly added to the Alpha XS range are the heavyweight 1660 and 1760XS models, both available in bed lengths of up to 6 metres.

The heavyweight versions - of the best selling combination lathe in the world - are designed to exceed customer demands for turning larger diameter components efficiently and are truly class leaders in terms of overall performance.



# The ultimate turning machine has stepped up to 3-axis capability by adding full c-axis operations to its market leading capabilities.

The **Alpha XC** introduces full milling, drilling and tapping functions to the Alpha range, fully harnessing the Fanuc O*i*-TF control combined with the Manual Guide *i* conversational programming system to reduce the need for second machine load and operation production – specifically for one-off components and small batch production.

The **Alpha XC** 3-axis CNC combination lathe is identical in functionality to the Alpha XS range of machines, but now has the addition of a fully interpolating c-axis, while still retaining the operational simplicity that makes the Alpha range the leading choice worldwide.

The manual / CNC lathe is mounted with a newly developed headstock, allowing programmed selection of the c–axis drive, allowing milling / drilling cycles to be achieved with the use of driven tooling.

To allow for these extra lathe operations, full c-axis cycles are available through the Manual Guide i conversational programming system.



# The Alpha XC comes with two types of tool mounting options:

- 8 tool station Duplomatic turret (8 driven tool positions on 1400XC and 4 driven tool positions on 1550XC) or
- Sandvik Capto driven toolpost allowing manual change of standard, Capto or driven toolholders (1550XC only)

Full CAD/CAM programming of the c-axis is also available with a 3-axis version of Colchester's unique **ALPHALINK** system – allowing operations including milling, pcd drilling, tapping and keyways to be generated offline.















## **Alpha XS Series Specifications**

|                              | 1350XS       | 1400XS       | 1460XS       | 1550XS             | 1660XS   | 17                               | 60XS     |
|------------------------------|--------------|--------------|--------------|--------------------|--|----------------------------------|----------|
| Distance between centres     | 650mm        | 1200mm       | 1500mm       | 2000 / 3000mm      | 1550 / 20<br>/ 4000 / 500                                    |                                  |          |
| Saddle stroke Z-Axis Max     | 556mm        | 1156mm       | 1530mm       | 2030 / 3050mm      | 1190 / 1700<br>/ 4730 /                                      |                                  |          |
| Swing over bed               | 350mm        | 400mm        | 460mm        | 554mm              | 660mm  | 760mm                            |          |
| Swing in gap                 | 535mm        | 585mm        | 730mm        | 830mm              | 960mm  | 1060mm                           |          |
| Gap width from faceplate     | 165mm        | 165mm        | 216mm        | 216mm              | 300  | mm                               |          |
| Swing over cross-slide       | 196mm        | 246mm        | 270mm        | 370mm              | 460mm  | 56                               | 0mm      |
| Spindle bore                 | 42mm         | 55mm         | 78mm         | 104mm              | 105mm  |                                  | 155mm    |
| Spindle nose                 | D1-4         | D1-6         | D1-8         | D1-11              | D1-11 (A2-1  | ,                                |          |
| Spindle speeds:<br>Low range | 1 to 366rpm  | 1 to 297rpm  | 1 to 247rpm  | 1 to 224rpm        | 26-224rpm  | 10-                              | 150rpm   |
| Medium range                 | 1 to 1088rpm | 1 to 861rpm  | 1 to 740rpm  | 1 to 672rpm        | 225-670rpm 151-490rpm  |                                  | 490rpm   |
| High range                   | 1 to 3500rpm | 1 to 2700rpm | 1 to 2200rpm | 1 to 2000rpm       | 670-2000rpm  | 491-                             | 1400rpm  |
| Taper in nose bush           | No. 3 MT     | No. 4 MT     | No. 5 MT     | No. 5 MT           | No. 8 MT (No.  | 491-1400rpm<br>6 MT) No. 6<br>MT |          |
| Main motor                   | 7.5kW        | 7.5kW        | 11kW         | 15kW               | 18.  | 5kW                              | ,        |
| Tailstock quill travel       | 140mm        | 140mm        | 180mm        | 180mm              | 300  | )mm                              |          |
| Tailstock quill diameter     | 63mm         | 73mm         | 95mm         | 95mm               | 105  | mm                               |          |
| Tailstock taper              | No. 4 MT     | No. 5 MT     | No. 6 MT     | No. 6 MT           | No.  | 6 MT                             |          |
| Electrical supply required   | 22kVA        | 22kVA        | 24kVA        | 24kVA              | 35   | kVA                              |          |
| Overall length               | 2400mm       | 2900mm       | 3600mm       | 4100 / 5100mm      | 4200 / 4700<br>/ 7700 /                                      |                                  |          |
| Overall width                | 1700mm       | 1700mm       | 2000mm       | 2000mm             | 225  | 0mm                              |          |
| Overall height               | 1500mm       | 1500mm       | 1750mm       | 1750mm             | 2260mm   |                                  |          |
| Overall weight (nett)        | 1900kg       | 2370kg       | 3430kg       | 3690kg /<br>4600kg | 4300 / 4800 /<br>6000 / 7200 /<br>8400 / 9800kg 8600 / 10000 |                                  | / 7400 / |

## **Alpha XC Series - Driven Tool Drive Specifications**

|                        | 1400XC         | 1550XC       |
|------------------------|----------------|--------------|
| Spindle Motor Power    | 9.5kW          | 18.5kW       |
| No. of Tool Stations   | 8 (all driven) | 8 (4 driven) |
| Tooling Type           | VDI 20 /       | VDI 40 /     |
|                        | DIN 5480       | DIN 1809     |
| Max. Power Driven Tool | 2.2kW          | 2.2 kW       |
| Max. Driven Tool Speed | 6000 rpm       | 6000rpm      |

Illustrations and specifications are not binding in detail. The designs are subject to modification and improvement without notice workpiece capacity and machinable lengths and diameters will vary and may be reduced below maximum depending on workholding and tooling used.

HEAVY DUTY SINGLE GUARD INTERLOCKED TO THE SADDLE on the 1550XS x 3 metres.



#### **CNC Standard Accessories**

- Manual Guide i
- 10.4" (264mm) LCD colour touchscreen
- MDI keyboard
- G10 offset value setting
- Graphic display
- · PCMCIA data interface
- USB Port
- Manual handles X & Z axis
- 32 pairs of tool offsets in Alpha Mode
- 64 pairs of tool offsets in CNC Mode

- Tool wear/geometry offsets
- 64k part program memory
- Tool nose radius compensation
- G code systems A, B, C
- · Chamfering and corner radiusing
- Thread cutting retract
- · Background editing
- Constant surface speed
- Canned drilling cycles
- Multi-repetitive cycles type I and II
- · RS 232 interface
- Continuous thread cutting

- Tapping
- Custom Macro B
- Inch/Metric Conversion
- Spindle orientation
- Ethernet
- · Variable lead threading
- Additional part program memory 128k
- Stored stroke limit
- · Direct drawing program
- · Hours run/part count display
- Thread cutting retract

# **Support & Service**



#### **Buy Spare Parts**

With over £4 million of Colchester, Harrison & Clausing spares, our experts are there to help you identify the correct replacement part and ensure prompt delivery every time.



#### **Valuable Training**

Whether it's when your new machine arrives, or more intensive courses to ensure that you make the most of your machine tool, our applications specialists are there to support you.



#### **Reliable Servicing**

Our factory trained engineering team are always available to support your machine tool, either through our dedicated helpdesk or out in the field.



## **Delivery & Installation**

Our highly trained transport and service teams are on-hand to effectively deliver, install and commission your machine tool exactly to your satisfaction.



#### **Machine Tool Finance**

Colchester Machine Tool Solutions offer a range of innovative and highly competitive finance packages to support your machine tool purchase.



#### **Preventative Maintenance**

We work closely with you on a range of preventative maintenance contracts ensuring your assets are utilised fully, whether for one machine or a workshop of our machine tools.



If you would like to arrange a demonstration or discuss your specific needs, please contact our sales team on

01924 415 000 | mail@colchester.co.uk



Certificate No. FM12345

Colchester Machine Tool Solutions | Union Street | Heckmondwike | West Yorkshire | WF16 0HL